Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#				Operator		
L1	9	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	USPAT	OR .	ON	2007/04/16 01:58
L2	1	"20050015375",pn. and serial\$6	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L3	1751	(Web adj Services adj Descriptive adj Language) or WSDL	US-PGPUB; USPAT	OR	ON-	2007/04/16 01:58
L4	1694	L3 and (generic nera3 (object or class))	US-PGPUB; USPAT	OR	ΟŃ	2007/04/16 01:58
L5	. 44	L3 and (generic near3 (object or class))	US-PGPUB; USPAT	OR .	ON	2007/04/16 01:58
L6	10350	Web adj Service	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L 7	115	L6 and (generic adj (class or object))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L8	19	L7 and WSDL	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L9	277	access same new same generic same object	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L10	3	L9 and WSDL	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L11		"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L12	48	("6061692" "6061692" "6219700" "6219700" "6393569" "6023464" "6442549" "6167449" "5918229" "5890171" "6418402" "6931429" "5889942" "6064979" "5778367" "5737533" "6324538" "6442598" "6608634" "6850940" "6134450" "6397219" "6466940" "6463454" "6466980" "5692180" "6119133" "5819285" "6249576" "5712979" "5717860" "5813006" "5812769" "6067568" "6195660" "6208998" "5995999" "6292880" "6453319" "5761499" "5893118" "6098108" "6336137" "6085030" "6292830" "6237022" "6516349" "6345266" "6629132" "5950173").pn.	USPAT	OR	ON	2007/04/16 01:58
L13	49	("5918227" "5923738" "5930341" "5937041" "6002394" "6078866" "6189003" "6381634" "6658389" "6701352" "6934684" "6980991" "6144959" "5548726" "5594921" "5758077" "6031977" "5826000" "5832211" "5852722" "5862323" "6078952" "6212557" "6212557" "6347312" "6360266" "6366954" "6381324" "6438549" "6498612" "5727156" "6253188" "6269369" "6714916" "6625603" "6012085" "6064977" "6147687" "6049831" "5794230" "5855020" "6002853" "6311194" "6732117" "6816864" "5893107" "6360230" "5896444" "6157705" "6345288").pn.	USPAT	OR	ON	2007/04/16 01:58
L14		("6697849" "6845503" "6859834" "6879995" "6944788" "6978461" "5742769" "5778369" "5787151" "5872914" "5905774" "5941947" "5999611" "6047289" "6061743" "6061743" "6108691" "6160877" "6484177" "5751956" "5870546" "5974453" "6049829" "6189030" "6385644" "6393468" "6418199" "6466966" "6629136" "6792426" "6857012" "6859833" "6862606" "6877026" "6078929" "5987480" "6463440" "6055525" "6081814" "6215863" "6215863" "6173279" "6915519" "5247670" "6477543" "5617568" "5689701" "5905860" "6014667" "5483652").pn.	USPAT	OR	ON	2007/04/16 01:58
L15	145	L12 or L13 or L14	USPAT	OR	ON	2007/04/16 01:58

L16	43	xmlinclude or (xml\$1include) or (xml adj include)	USPAT	OR	ON	2007/04/16 01:58
L17	261	xmlinclude or (xml\$1include) or (xml adj include)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L18	35	L17 and (wsdl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L19	138270	((common or general or universal or gernic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L20	147	L19 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L21		L20 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L22	139367	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L23	160	L22 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L24	53	L21 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L25	. 39	generic adj object adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L26	1	xmlinclude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/16 01:58

L27	49482	xml serialization	US-PGPUB;	OR	ON	2007/04/16 01:58
	19102		USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L28	101	xml adj serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L29	0	(xml adj serialization) and (derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L30	11	(derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L31	2	"20050015375".pn. and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L32	2	"20050015375".pn. and (description adj document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L33	0	2005/0015375.pn. and (generate near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L34		2005/0015375.pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L35	2	"20050015375".pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L36	1	"20050015375".pn. and (intermediate adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58

L37	129	database same operation same search same create same	US-PGPUB;	OR	ON	2007/04/16 01:58
		method	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L38	6	L37 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L39	1	"20020156685".pn. and (search and create)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 01:58
L40	15	(search adj method) and (create adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 01:58
L41	5	convert\$4 same compil\$4 same code same WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L42	. 11	(convert\$4 same compil\$4 same code same description) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16.01:58
L43	12	("20030163597" "20030226109" "20040006550" "6356920" "6418448" "6635089" "6636845" "6658625" "6785673" "6785685" "6832219" "6853997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/16 01:58
L44	_. 36	(convert\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L45	17	(translat\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L46		(search adj method) and (create adj method) and (return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/16 01:58
L47	126	(return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 01:58

					· y	T
L48	22	((search adj (method or function)) same return same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L49	92	(search adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/16 01:58
L50	0	(search adj (method or function) adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L51	4	(search adj (method or function) near8 result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L52	8	(search adj (method or function)) same (array near3 result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L53	152	(object or class) and ((search adj method) same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L54	13	((search adj method) same returns same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L55	14739	(search adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/16 01:58
L56	279	(class or object) same search same return same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/04/16 01:58
L57	0	"20040162871".pn. and search	USPAT	OR	OFF	2007/04/16 01:58
L58	1	"20040162871".pn. and search	US-PGPUB; USPAT	OR	OFF	2007/04/16 01:58
L59	8831	search adj method	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L60	207	L59 and web adj service	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58

L61	16	allow same heterogeneous same result same array same method	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L62	371	(search adj results) same array	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L63	80	method same (search adj results) same array	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L64	1	"20030233360".pn. and ((search adj results) same array)	US-PGPUB; USPAT	OR '	ON	2007/04/16 01:58
L65	3	(create adj method) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L66	11	(create adj (method or function)) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L67	637	SOAP and LDAP	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L68	351	L67 and (web adj service)	US-PGPÜB; USPAT	OR	ON	2007/04/16 01:58
L69	. 4	L68 and (create adj method)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L70	3384	directory adj access adj protocol	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L71	3277	L70 and LDAP	US-PGPUB; USPAT	-OR	ON	2007/04/16 01:58
L72	414	L71 and (web adj service)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L73	58	L72 and (serializ\$5 or deserializ\$5)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L74	98	communicate same database same server same (directory near3 access near3 protocol)	US-PGPUB; USPAT	OR	·ON	2007/04/16 01:58
L75	1	(create adj method) same array near3 (operand or argument)	US-PGPUB; USPAT:	OR	ON	2007/04/16 01:58
L76	1	(create adj method) same (aṛray near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L77	1	(create adj method) near3 (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L ⁷ 8	26301	(create adj method) an (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L79	17	(create adj method) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L80	2	(create adj object) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L81	, 93	(create adj object) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L82	0	(create adj function) same accepts same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L83	0	(create adj function) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L84 `	. 0	(creat) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR ·	ON	2007/04/16 01:58
L85	81	(create) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L86	283	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58

L87	17	L86 same (operand or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/16 01:58
L88	1751	(Web adj Services adj Descriptive adj Language) or WSDL	US-PGPUB; USPAT	OR .	ON	2007/04/16 01:58
L89	1694	L88 and (generic nera3 (object or class))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L90	10350	Web adj Service	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L91	115	L90 and (generic adj (class or object))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L92	277	access same new same generic same object	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L93	48	("6061692" "6061692" "6219700" "6219700" "6393569" "6023464" "6442549" "6167449" "5918229" "5890171" "6418402" "6931429" "5889942" "6064979" "5778367" "5737533" "6324538" "6442598" "6608634" "6850940" "6134450" "6397219" "6466940" "6463454" "6466980" "5692180" "6119133" "5819285" "6249576" "5712979" "5717860" "5813006" "5812769" "6067568" "6195660" "6208998" "5995999" "6292880" "6453319" "5761499" "5893118" "6098108" "6336137" "6085030" "6292830" "6237022" "6516349" "6345266" "6629132" "5950173").pn.	USPAT	OR	ON	2007/04/16 01:58
L94	. 49	("5918227" "5923738" "5930341" "5937041" "6002394" "6078866" "6189003" "6381634" "6658389" "6701352" "6934684" "6980991" "6144959" "5548726" "5594921" "5758077" "6031977" "5826000" "5832211" "5852722" "5862323" "6078952" "6212557" "6212557" "6347312" "6360266" "6366954" "6381324" "6438549" "6498612" "5727156" "6253188" "6269369" "6714916" "6625603" "6012085" "6064977" "6147687" "6049831" "5794230" "5855020" "6002853" "6311194" "6732117" "6816864" "5893107" "6360230" "5896444" "6157705" "6345288").pn.	USPAT	OR	ON	2007/04/16 01:58
L95	48	("6697849" "6845503" "6859834" "6879995" "6944788" "6978461" "5742769" "5778369" "5787151" "5872914" "5905774" "5941947" "5999611" "6047289" "6061743" "6061743" "6108691" "6160877" "6484177" "5751956" "5870546" "5974453" "6049829" "6189030" "6385644" "6393468" "6418199" "6466966" "6629136" "6792426" "6857012" "6859833" "6862606" "6877026" "6078929" "5987480" "6463440" "6055525" "6081814" "6215863" "6215863" "6173279" "6915519" "5247670" "6477543" "5617568" "5689701" "5905860" "6014667" "5483652").pn.	USPAT	OR	ON	2007/04/16 01:58
L96	261	xmlinclude or (xml\$1include) or (xml adj include)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/16 01:58
L97	138270	((common or general or universal or gernic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58

L98	147	L97 and wsdl	US-PGPUB;	OR	ON	2007/04/16 01:58
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L99	139367	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L100	160	L99 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L101	49482	xml serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L102	0	(xml adj serialization) and (derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L103	0	2005/0015375.pn. and (generate near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L104	0	2005/0015375.pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L105	129	database same operation same search same create same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/16 01:58
L106	.0	(search adj (method or function) adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L107	0	"20040162871".pn. and search	USPAT	OR	OFF	2007/04/16 01:58
L108	. 8831	search adj method	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L109	371	(search adj results) same array	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L110	637	SOAP and LDAP	US-PGPUB; USPAT	OR .	ON	2007/04/16 01:58

L111	351	L110 and (web adj service)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L112	. 3384	directory adj access adj protocol	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L113	3277	L112 and LDAP	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L114	414	L113 and (web adj service)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L115	1	(create adj method) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L116	1	(create adj method) near3 (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L117	26301	(create adj method) an (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L118	0	(create adj function) same accepts same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L119	0	(create adj function) same (array near3 (operand or argument))	US-PGPUB;	OR	ON	2007/04/16 01:58
L120	. 0	(creat) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
.L121	283	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L122	1 . 1	"20050015375".pn. and serial\$6	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L123	1	xmlinclude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 01:58
L124	1	"20050015375".pn. and (intermediate adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/16 01:58
L125		"20020156685".pn. and (search and create)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 01:58
L126	1	(search adj method) and (create adj method) and (return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 01:58
L127	1	"20040162871".pn. and search	US-PGPUB; USPAT	OR	OFF	2007/04/16 01:58
L128	1	"20030233360".pn. and ((search adj results) same array)	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L129	1	(create adj method) same array near3 (operand or argument)	US-PGPUB; USPAT	OR	ON .	2007/04/16 01:58

L130	9	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or	USPAT	OR .	ON	2007/04/16 01:58
		"5793964".pn. or "5974416".pn. or "6192415".pn.				
L131	. 44	L88 and (generic near3 (object or class))	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L132	19	L91 and WSDL	US-PGPUB; USPAT	OR	ON	2007/04/16 01:58
L133	3	L92 and WSDL	US-PGPUB; USPAT	OR '	ON	2007/04/16 01:58